


## ABSTRACT

This invention provides a compound of the formula:



or its pharmaceutically acceptable salt thereof, wherein A is partially unsaturated or  
 5 unsaturated five membered heterocyclic, or partially unsaturated or unsaturated five  
 membered carbocyclic, wherein the 4-(sulfonyl)phenyl and the 4-substituted phenyl in  
 the formula (I) are attached to ring atoms of Ring A, which are adjacent to each other;  
 R<sup>1</sup> is optionally substituted aryl or heteroaryl, with the proviso that when A is pyrazole,  
 R<sup>1</sup> is heteroaryl; R<sup>2</sup> is C<sub>1-4</sub> alkyl, halo-substituted C<sub>1-4</sub> alkyl, C<sub>1-4</sub> alkylamino, C<sub>1-4</sub>  
 10 dialkylamino or amino; R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> are independently hydrogen, halo, C<sub>1-4</sub> alkyl,  
 halo-substituted C<sub>1-4</sub> alkyl or the like; or two of R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> are taken together with  
 atoms to which they are attached and form a 4-7 membered ring; R<sup>6</sup> and R<sup>7</sup> are  
 independently hydrogen, halo, C<sub>1-4</sub> alkyl, halo-substituted C<sub>1-4</sub> alkyl, C<sub>1-4</sub> alkoxy, C<sub>1-4</sub>  
 alkylthio, C<sub>1-4</sub> alkylamino or N,N-di C<sub>1-4</sub> alkylamino; and m and n are independently 1,  
 15 2, 3 or 4.

This invention also provides a pharmaceutical composition useful for the  
 treatment of a medical condition in which prostaglandins are implicated as pathogens.